

GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

### **SECTION 1 · COMPANY AND PRODUCT IDENTIFICATION**

**PRODUCT** 

Product Name: PEG 300 Control Number: 00105

Product Description: Polyethylene Glycol

COMPANY IDENTIFICATION

Supplier: C<9AKCF@8"7CA

H9HJÁÜ[^æþÁÖ¦ãç^ÊÁÛ\*ãc^ÁFHJÊ

24 Hour Emergency Telephone: (800)-GÍÍËJJG CHEMTÒŠ
General Information: (΀€)ÎÍÌËÏFÎÊÄÜ;Ï€DÁHFÉÏIGJ

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification:** 

[ Health ] [ Environmental ] [ Physical ]

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

**Pictograms** 

Signal Word: Warning

Hazard statement(s)

Precautionary statement(s)

### **SECTION 3 · COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL NAME CAS Number %WT

Polyethylene Glycol 25322-68-3 100

## **SECTION 4 · FIRST AID MEASURES**

**FIRST AID PROCEDURES:** 

**Eye Contact:** Flush eyes with water as a precaution.

**Skin Contact:** Wash with soap and water.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration.

Ingestion: Wash out mouth with water.

### **SECTION 5 · FIRE FIGHTING MEASURES**

Suitable Extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Hazardous combustion products: Oxides of carbon and various hydrocarbons

Fire Fighting Procedures: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH

(approved or equivalent), and full protective gear.

**Unusual Fire and Explosion Hazards:** This material poses no fire or explosion hazards.



GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

### SECTION 6 · ACCIDENTAL RELEASE and DISPOSAL MEASURES

Spills: Evacuate all non-essential personnel from the spill area. Ensure adequate ventilation.

Suitable protective clothing should be worn. Shut off or plug source of spill. Wear respiratory protection. Avoid dust formation. Avoid breathing dust.

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### **SECTION 7 · STORAGE AND HANDLING**

**Handling:** Do not get in eyes, on skin or on clothing. Do not breathe dust, vapors or mists.

Storage: Keep container closed and tightly sealed when not in use. Use good hygiene practices.

Store in a cool, dry, ventilated area, away from incompatible substances. Store only in approved properly labeled containers.

### **SECTION 8 · EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**Engineering Controls:** Provide explosion-proof ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated below.

Exposure Limits: Polyethylene Glycol 10 mg/m3 ACGIH; No OSHA data

### Personal Protective Equipment (PPE):

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

Skin: If prolonged or repeated skin contact is likely, wear appropriate protective gloves.

**Clothing:** Selection of protective clothing depends on work conditions, potential exposure conditions and may include gloves, boots, suits and other protective items.

**Respirators:** Where adequate ventilation is not available an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection Standard, 29 CFR 1920.134. In confined areas, use a self-contained breathing apparatus.

Other Equipment: Eye wash station and shower in close proximity to use are advised.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Flash Point: 428 °F Flammability Limits: Not applicable

Autoignition Temperature: 581 °F

Boiling Point: 572 °F

Wolatile %: No available data

Melting Point: No available data

Evaporation Rate (Water = 1): 1

Vapor Pressure: <0.1 mmHg pH: 6-7

Vapor Density (Air-1): > 1 Solubility in Water: No available data

**Odor/Appearance:** Clear viscous liquid with alcohol odor.

## **SECTION 10 - STABILITY AND REACTIVITY**

Chemical Stability: Stable under normal use and temperature conditions.

Conditions to Avoid: None known.

**Incompatible materials:** Strong oxidizing agents.

**Decomposition Products:** When combusted, oxides of carbon and various hydrocarbons.

GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

### **SECTION 11 - TOXILOGICAL INFORMATION**

### Signs and Symptoms of Overexposure:

**Skin:** Brief contact is not irritating. Prolonged contact, as with clothing wetted with material, may cause defatting of skin or irritation, seen as local redness with possible mild discomfort.

Eyes: May cause irritation, experienced as mild discomfort and seen as slight excess redness of

the eye.

Inhalation: Vapors or mist in high concentrations, as generated from spraying or heating, may cause minimal irritation

Ingestion: If swallowed in large quantities, abdominal discomfort, nausea, and diarrhea are expected.

Acute oral toxicity: LD50 rat: > 5.0 g/kg Acute inhalation toxicity: Believed to be practically non-toxic Acute dermal toxicity:

### **SECTION 12 · ECOLOGICAL INFORMATION**

Aquatic Toxicity: Leuciscus idus (Golden orfe) - > 500 mg/l - 96 h

Bio-accumulative potential: Does not accumulate.

Mobility: Not determined

LD50 rabbit: > 2.0 g/kg

### **SECTION 13 · DISPOSAL CONSIDERATIONS**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

### **SECTION 14 · TRANSPORTATION**

## U.S. DEPARTMENT OF TRANSPORTATION (Road or Rail):

Proper Shipping Name: Not a DOT Regulated Material

Hazard Class: UN Number: Packaging Group:

GEORGIA WAREHOUSE 3939 Royal Drive, Suite 139, Kennesaw, GA, 30144 MICHIGAN WAREHOUSE 25991 Northline Commerce Dr. Unit 504 Taylor, MI 48180 UTAH WAREHOUSE 647 West Billinis Road, Unit 1 Salt Lake City, Utah 84119

### **SECTION 15 · REGULATORY INFORMATION**

### **US FEDERAL REGULATIONS**

Comprehensive Environmental Response and Liability Act (CERCLA)

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Toxic Substance Control Act (TSCA): All components of this product are listed on the TSCA inventory list.

SARA Section 311/312 (40 CFR 370) Hazard Categories:

No SARA hazards.

**SARA Section 313 (40 CFR 372) Hazard Categories:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act: This product does not contain any chemical components that are listed under the CWA.

Clean Air Act: This product does not contain any chemical components that are listed under the CAA.

**California Prop 65:** This product contains no chemicals known by the State of California to cause cancer, birth defects or other reproductive harm.

#### **SECTION 16 · OTHER INFORMATION**

MSDS Revision Date: September 2014

**National Fire Protection Association (NFPA) Ratings:** This information is intended solely for the use of individuals trained in the NFPA system.

Health: 0

Flammability: 0 Reactivity: 0

The information above is believed to be accurate and represents the best information currently available to us. However, Colonial Chemical Solutions makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Colonial be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Colonial has been advised of the possibility of such damages. The vendor assumes no responsibility for injury or damages resulting from the inappropriate alteration or manipulation of this MSDS and its contents from that originally submitted by Colonial.