Section 1: Product & Company Identification

Product Name: Tyme® I Carburetor and Cold Parts Cleaner

Product Number (s): 14101, 14104

Product Use: Parts cleaning solvent for use in cold cleaner / dip tank

Manufacturer / Supplier Contact Information:

In United States: In Canada: In Mexico:

CRC Industries, Inc.

CRC Canada Co.

CRC Industries Mexico

SES Louis Drive

CRC Industries Mexico

Av. Benito Juárez 4055 G

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

<u>www.crcindustries.com</u> <u>www.crc-canada.ca</u> San Luís Potosí, SLP CP 78394 1-215-674-4300(General) 1-905-670-2291 <u>www.crc-mexico.com</u>

1-215-674-4300(General) 1-905-670-2291 (800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

DANGER: Vapor Harmful.

Appearance & Odor: Yellow opaque emulsion, solvent odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: May cause mild to moderate eye irritation, including burning sensation. Vapors may irritate the eyes at

concentrations of 100 ppm.

SKIN: Short single exposure may cause skin irritation. Prolonged exposure may cause severe skin irritation,

even a burn. A single prolonged exposure is not likely to result in the material being absorbed through

52-444-824-1666

skin in harmful amounts.

INHALATION: Dizziness may occur at concentrations of 200 ppm. Progressively higher levels may also cause nasal

irritation, nausea, incoordination, and drunkenness. Very high levels or prolonged exposure could lead

to unconsciousness and death.

INGESTION: Single dose oral toxicity is considered to be extremely low. Swallowing large amounts may cause

injury if aspirated into the lungs. This may be rapidly absorbed through the lungs and result in injury to

other body systems.

CHRONIC EFFECTS: Repeated contact with skin may cause drying or flaking of skin. Excessive or long term

exposure to vapors may increase sensitivity to epinephrine and increase myocardial irritability.

TARGET ORGANS: Central nervous system. Possibly liver and kidney.

Medical Conditions Aggravated by Exposure: None known.

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 14101, 14104

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.	
Tetrachloroethylene (PERC)	127-18-4	45 - 55	
Water	7732-18-5	30 - 35	
Cyclohexanol	108-93-0	5 – 15	
Distilled Tall Oil	8002-26-4	< 5	
Potassium hydroxide	1310-58-3	< 1	

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Do NOT induce vomiting. Call a physician immediately

Note to Physicians: Because rapid absorption may occur through lungs if aspirated and cause systemic effects, the

decision of whether to induce vomiting or not should be made by a physician. If lavage is performed, suggest endotracheal and/or esophageal control. If burn is present, treat as any thermal burn, after decontamination. Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary. No specific antidote.

Section 5: Fire-Fighting Measures

Flammable Properties: As defined by OSHA, this product is a nonflammable liquid.

Flash Point: None (TCC) Upper Explosive Limit: None Autoignition Temperature: None Lower Explosive Limit: None

Fire and Explosion Data:

Suitable Extinguishing Media: This material does not burn. Use extinguishing agent suitable for surrounding fire.

Products of Combustion: Hydrogen chloride, trace amounts of phosgene and chlorine

Explosion Hazards: Containers, when exposed to heat from fire, may build pressure and rupture.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8. Do not breathe vapors.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

Product Number (s): 14101, 14104

sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Ventilate the area with fresh air. If in confined space

or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste

containers.

Section 7: Handling and Storage

Handling Procedures: Vapors of this product are heavier than air and will collect in low areas. Make sure ventilation

removes vapors from low areas. Keep containers closed when not in use. Do not eat, drink or smoke while using this product. Do not mix with other chemical products. Do not heat this liquid. For use in cold cleaners only. Do not cut, drill or weld on or near empty containers. For product

use instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Containers should be tightly closed while in

storage.

Aerosol Storage Level: NA

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	OSHA		ACGIH		OTHER		
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Tetrachloroethylene	100	N.E.	25	100	N.E.		nnm
	-						ppm
Water	N.E.	N.E.	N.E.	N.E.	N.E.		
Cyclohexanol	50	N.E.	50	N.E.	N.E.		ppm
Distilled Tall Oil	5*	N.E.	5*	10*	N.E.		mg/m³
Potassium Hydroxide	2 (v)	N.E.	2 (c)	N.E.	N.E.		mg/m³
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated * - oil mist							

Controls and Protection:

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as PVA, Teflon or Viton. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

Product Number (s): 14101, 14104

Section 9: Physical and Chemical Properties

Physical State: liquid / emulsion

Color: yellow, opaque Odor: solvent odor Odor Threshold: 50 ppm Specific Gravity: 1.245

Initial Boiling Point: 212°F / 100°C

Freezing Point: ND Vapor Pressure: ND

Vapor Density: > 3 (air = 1)

Evaporation Rate: slow Solubility: emulsion in water

Coefficient of water/oil distribution (log Pow): 2.88

pH: 12.2

Volatile Organic Compounds: wt %: 10.25 g/L: 126 lbs./gal: 1.06

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Avoid direct sunlight or ultraviolet sources. Avoid open flames, welding arcs, and other high

temperature sources which induce thermal decomposition. Do not heat this product.

Incompatible Materials: Avoid contact with metals such as: aluminum powders, magnesium powders, potassium,

sodium, and zinc powder. Avoid unintended contact with amines. Avoid contact with strong

bases and strong oxidizers.

Hazardous Decomposition Products: Hydrogen chloride, trace amounts of phosgene and chlorine

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

Component	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)	
Tetrachloroethylene	2629 mg/kg 3228 mg/kg		5200 mg/kg/4H	
Water	> 90 mL/kg	No data	No data	
Cyclohexanol	2060 mg/kg	794 mg/kg	> 6500 mg/m ³ /1H	
Distilled Tall Oil	> 5000 mg/kg	No data	No data	
Potassium Hydroxide	273 mg/kg	No data	No data	

Chronic Toxicity:

	OSHA	IARC	NTP		
<u>Component</u>	Carcinogen	<u>Carcinogen</u>	<u>Carcinogen</u>	<u>Irritant</u>	Sensitizer
Tetrachloroethylene	No	Group 2A	Reasonably Anticipated	skin	No
			to be a Carcinogen		
Water	No	No	No	No	No
Cyclohexanol	No	No	No	eye, skin,	No
-				respiratory	
Distilled Tall Oil	No	No	No	No	No
Potassium Hydroxide	No	No	No	eye, skin,	No

Product Number (s): 14101, 14104

respiratory

Reproductive Toxicity: No information available. Teratogenicity: No information available.

<u>Mutagenicity</u>: Tetrachloroethylene: in vitro studies were negative animal studies were negative

Synergistic Effects: No information available.

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: Tetrachloroethylene -- 96 Hr LC50 Rainbow Trout: 5.28 mg/L (static)

96 Hr LC50 Fathead minnow: 13.4 mg/L (flow-through)

Persistence / Degradability: Biodegradation under aerobic conditions is below detectable limits.

Biodegradation may occur under anaerobic conditions. Biodegradation rate may

increase in soil and/or water with acclimation.

Bioaccumulation / Accumulation: Bioconcentration potential is low (BCF less than 100).

Mobility in Environment: Potential for mobility in soil is medium.

Section 13: Disposal Considerations

<u>Waste Classification</u>: This product is a RCRA hazardous waste for toxicity with the following potential waste codes:

F001, F002, D039. (See 40 CFR Part 261.20 – 261.33)

Empty containers may be recycled. If this waste is mixed with other wastes, the mixture will be

a hazardous waste.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): UN2922, Corrosive liquids, toxic, n.o.s. (Potassium hydroxide,

Tetrachloroethylene), 8 (6.1), PGIII, Limited Quantity

14104 UN2922, Corrosive liquids, toxic, n.o.s. (Potassium hydroxide,

Tetrachloroethylene), 8 (6.1), PGIII, Marine Pollutant

ICAO/IATA (air): 14101 UN2922, Corrosive liquids, toxic, n.o.s. (Potassium hydroxide,

Tetrachloroethylene), 8 (6.1), PGIII, Limited Quantity

14104 UN2922, Corrosive liquids, toxic, n.o.s. (Potassium hydroxide,

Tetrachloroethylene), 8 (6.1), PGIII, Marine Pollutant

IMO/IMDG (water): 14101 UN2922, Corrosive liquids, toxic, n.o.s. (Potassium hydroxide,

Tetrachloroethylene), 8 (6.1), PGIII, Limited Quantity

14104 UN2922, Corrosive liquids, toxic, n.o.s. (Potassium hydroxide,

Tetrachloroethylene), 8 (6.1), PGIII, Marine Pollutant

Special Provisions:

Section 15: Regulatory Information

Product Number (s): 14101, 14104

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: Tetrachloroethylene (100 lbs)

Potassium hydroxide (1000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard No

Reactive Hazard No Release of Pressure No Acute Health Hazard Yes Chronic Health Hazard Yes

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

Tetrachloroethylene (51.4%), Cyclohexanol (10%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): Tetrachloroethylene

Occupational Safety and Health Administration:

This product is regulated by the Hazard Communications Standard.

U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of

California to cause cancer, birth defects or other reproductive harm:

Tetrachloroethylene

Consumer Products VOC Regulations: Not regulated. This product is intended to be used in solvent cleaning

machines (cold cleaner / dip tank) with a capacity greater than 2 gallons.

State Right to Know:

New Jersey: 127-18-4, 108-93-0

Pennsylvania: 127-18-4, 108-93-0, 1310-58-3, 7632-00-0

Massachusetts: 127-18-4, 108-93-0 Rhode Island: 127-18-4, 108-93-0

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: D1B, D2A, D2B

<u>Canadian DSL Inventory</u>: All ingredients are either listed on the DSL Inventory or are exempt.

Product Number (s): 14101, 14104

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

Section 16: Other Information

HMIS® (II)		
Health:	2	
Flammability :	1	
Reactivity:	1	
PPE:	В	

NFPA

Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By: Michelle Rudnick

CRC #: 609J Revision Date: 01/05/2016

Section 14: Transport Information Changes since last revision:

Section 15: Regulatory Information

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service CFR: Code of Federal Regulations DOT: Department of Transportation **Domestic Substance List** DSL:

grams per Liter g/L:

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer International Air Transport Association IATA:

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IMO: International Maritime Organization

pounds per gallon lbs./gal: Lethal Concentration LC:

Lethal Dose

LD:

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment

Parts per Million ppm:

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup Time Weighted Average TWA:

WHMIS: Workplace Hazardous Materials Information

System