



# 1. Identification

Product identifier	Stainless Steel Cleaner		
Other means of identification			
Product code	91770		
Recommended use	Stainlesss Steel Cleaner		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier/I	Distributor information		
Manufacturer			
Company name Address	Fuller Commercial Products One Fuller Way Great Bend, KS 67530 United States		
Telephone	Customer Service	(800) 810-482	29
E-mail	Not available.		
Emergency phone number	CHEMTREC	(800) 424-930	
	Emergency 24 hour Emergency	(620) 792-171 (800) 424-930	
2. Hazard(s) identification			
Physical hazards	Gases under pressure		Compressed gas
Health hazards	Not classified.		
Environmental hazards	Hazardous to the aquatic environment, acute Category 2 hazard		Category 2
	Hazardous to the aquatic environment, Category 3 long-term hazard		Category 3
OSHA defined hazards	Not classified.		
Label elements	$\langle \cdot \rangle$		

the aquatic environment.

Signal word	Warning
Hazard statement	Contains gas under pressure; may explode if heated. Toxic to aquatic life. Harmful to aquatic life with long lasting effects. May cause mild eye and skin irritation.
Precautionary statement	
Prevention	Avoid release to the environment.
Response	Wash hands after handling.
Storage	Protect from sunlight. Store in a well-ventilated place.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	33.6% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 33.43% of the mixture consists of component(s) of unknown long-term hazards to

# 3. Composition/information on ingredients

**Mixtures** 

\_

Chemical name	Common name and synonyms	CAS number	%
WHITE MINERAL OIL		8042-47-5	20 - < 30

Chemical name	Common name and synonyms	CAS number	%
ISOBUTANE		75-28-5	5 - < 10
ISOPARAFFINIC HYDROCARBON		64742-47-8	5 - < 10
PROPANE		74-98-6	3 - < 5
DIMETHICONE		63148-62-9	1 - < 3
SODIUM NITRITE		7632-00-0	< 0.2
Other components below reportable level	S		50 - < 60

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
	If avantance developments within to freeh air. Oct medical attention if avantance persist
Inhalation	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists. Rinse with water. Get medical attention if irritation develops and persists.
Eye contact	
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Skin irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol. Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Refrigeration recommended. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

## **Occupational exposure limits**

US. OSHA Table Z-1 Limits 1 Components	or Air Contaminants (29 CFR 1910.1000) Type	Value	Form
PROPANE (CAS 74-98-6)	PEL	1800 mg/m3	
		1000 ppm	
WHITE MINERAL OIL (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
ISOBUTANE (CAS 75-28-5)	STEL	1000 ppm	
WHITE MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
ISOBUTANE (CAS 75-28-5)	TWA	1900 mg/m3	
		800 ppm	
ISOPARAFFINIC HYDROCARBON (CAS 64742-47-8)	TWA	100 mg/m3	
PROPANE (CAS 74-98-6)	TWA	1800 mg/m3	
		1000 ppm	
WHITE MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
ological limit values	No biological exposure limits noted for the ingredient(s).		
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
•	such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or g	goggies).	
Skin protection			
Hand protection	Wear appropriate chemical resistant glove	es.	
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
neral hygiene nsiderations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

# 9. Physical and chemical properties

9. Physical and chemical p	properties
Appearance	Liquid.
Physical state	Liquid.
Form	Aerosol. Compressed gas. Emulsion
Color	White
Odor	Matches to Standard
Odor threshold	Not available.
рН	10 - 11
Melting point/freezing point	Not available.
Initial boiling point and boiling range	-11.2 °F (-24 °C) estimated
Flash point	275.0 °F (135.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	0.7 % estimated
Flammability limit - upper (%)	8.5 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	4115.89 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	410 °F (210 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	6.62 lbs/gal estimated
Flame extension	0 in
Flammability (flash back)	0 in
Heat of combustion (NFPA 30B)	14.92 kJ/g estimated
Percent volatile	> 80 % estimated
Specific gravity	0.79 estimated
VOC (Weight %)	10.2 % estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Ingestion	Concentration of product is an aspiration hazard that can be harmful or fatal if swallowed and enters airways. However, due to the form and method of deliverance of product, ingestion is not a primary route of exposure.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Skin irritation.
Information on toxicological eff	rects
Acute toxicity	Not available.

Acute toxicity	Not available.	
Product	Species	Test Results
Stainless Steel Cleaner (CAS Mix	ture)	
Acute		
Dermal		
LD50	Rabbit	74074.0703 ml/kg estimated
Inhalation		
LC50	Mouse	742.8571 mg/l, 1 Hours estimated
	Rat	3055.5557 mg/l, 4 Hours estimated
Oral		
LD50	Mouse	97222.2188 mg/kg estimated
	Rat	47222.2227 mg/kg estimated
* Estimates for product may b	e based on additional component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irrit	ation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
WHITE MINERAL OIL (C OSHA Specifically Regulate Not listed.	CAS 8042-47-5) 3 Not classifiable   ed Substances (29 CFR 1910.1001-1050)	as to carcinogenicity to humans.
Reproductive toxicity	This product is not expected to cause reproductiv	e or developmental effects
Specific target organ toxicity - single exposure	This product is not expected to cause reproductive or developmental effects. Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	1	
Ecotoxicity	Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.	

Product		Species	Test Results
Stainless Steel Cleaner (CAS	Mixture)		
Aquatic			
Crustacea	EC50	Daphnia	42092.5938 mg/l, 48 hours estimated
Fish	LC50	Fish	28.1932 mg/l, 96 hours estimated
* Estimates for product may b	e based on ad	ditional component d	lata not shown.
Persistence and degradability	No data is av	ailable on the degra	dability of this product.
Bioaccumulative potential	No data avai	lable.	
Partition coefficient n-octan	ol / water (log	Kow)	
ISOBUTANE			.76
PROPANE			.36
Mobility in soil	No data avai		
Other adverse effects	No other adv	verse environmental	effects (e.g. ozone depletion, photochemical ozone creation lobal warming potential) are expected from this component.
		accinic alciaption, g	
13. Disposal consideration			
Disposal instructions			sealed containers at licensed waste disposal site. Contents incinerate or crush. Do not allow this material to drain into
			intaminate ponds, waterways or ditches with chemical or used
			ontainer in accordance with local/regional/national/international
	regulations.		
Local disposal regulations	Dispose in a	ccordance with all ap	oplicable regulations.
Hazardous waste code	The waste condisposal con		ned in discussion between the user, the producer and the waste
Waste from residues / unused	•		cal regulations. Empty containers or liners may retain some
products			nd its container must be disposed of in a safe manner (see:
	Disposal inst		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.		
	emptiou. De		
14. Transport information			
DOT			
UN number	ID8000		
UN proper shipping name	Consumer commodity		
Transport hazard class(es)	0		
Class	9		
Subsidiary risk	- 9		
Label(s)			
Packing group	Not applicab		d emergency procedures before handling.
Packaging exceptions	167	instructions, SDS an	a energency procedures before nandling.
Packaging non bulk	167		
Packaging bulk	None		
IATA	None		
UN number	ID8000		
UN proper shipping name	Consumer c	ommoditv	
Transport hazard class(es)			
Class	9		
Subsidiary risk	-		
Packing group	Not applicab	le.	
Environmental hazards	No.		
ERG Code	9L		
Other information		instructions, SDS an	d emergency procedures before handling.
Passenger and cargo aircraft	Allowed.		
Cargo aircraft only	Allowed.		

Allowed.

Cargo aircraft only

#### IMDG

•	
UN number	ID8000
UN proper shipping name	Consumer commodity
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergence

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### DOT; IATA; IMDG



Read safety instructions, SDS and emergency procedures before handling. This substance/mixture is not intended to be transported in bulk.

> Listed. Listed. Listed.

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed or exempted from listing on the U.S. EPA TSCA Inventory List.

1.0 % One-Time Export Notification only.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

SODIUM NITRITE (CAS 7632-00-0)

## CERCLA Hazardous Substance List (40 CFR 302.4)

2A 204 Emergency release notification		
SODIUM NITRITE (CAS 7632-00-0)		
PROPANE (CAS 74-98-6)		
ISOBUTANE (CAS 75-28-5)		

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

Hazard categories

SARA 311/312 Hazardous No chemical

# SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

ISOBUTANE (CAS 75-28-5) PROPANE (CAS 74-98-6)

Safe Drinking Water Act Not regulated. (SDWA)

## **US state regulations**

#### US. Massachusetts RTK - Substance List

ISOBUTANE (CAS 75-28-5) ISOPARAFFINIC HYDROCARBON (CAS 64742-47-8) PROPANE (CAS 74-98-6) SODIUM NITRITE (CAS 7632-00-0) WHITE MINERAL OIL (CAS 8042-47-5)

#### US. New Jersey Worker and Community Right-to-Know Act ISOBUTANE (CAS 75-28-5) ISOPARAFFINIC HYDROCARBON (CAS 64742-47-8) PROPANE (CAS 74-98-6) SODIUM NITRITE (CAS 7632-00-0)

## US. Pennsylvania Worker and Community Right-to-Know Law

ISOBUTANE (CAS 75-28-5) ISOPARAFFINIC HYDROCARBON (CAS 64742-47-8) PROPANE (CAS 74-98-6) SODIUM NITRITE (CAS 7632-00-0) WHITE MINERAL OIL (CAS 8042-47-5)

#### US. Rhode Island RTK

ISOBUTANE (CAS 75-28-5) PROPANE (CAS 74-98-6) SODIUM NITRITE (CAS 7632-00-0)

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## 16. Other information, including date of preparation or last revision

Issue date	12-08-2014
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.