

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/04/2004 Revision date: 11/01/2017 Supersedes: 09/23/2015 Version: 1.3

## **SECTION 1: Identification**

Identification

: Substance Product form Substance name lodine CAS-No. 7553-56-2 Product code : LC15590 : 12 Formula

#### Recommended use and restrictions on use 1.2.

Use of the substance/mixture : For laboratory and manufacturing use only.

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

#### **Supplier** 1.3.

LabChem Inc

Jackson's Pointe Commerce Park Building 1000, 1010 Jackson's Pointe Court

Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-0647 info@labchem.com - www.labchem.com

### **Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 or 011-703-527-3887

### SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture 2.1.

#### **GHS-US** classification

Toxic in contact with skin Acute toxicity (dermal) H311

Category 3

Harmful if inhaled Acute toxicity (inhalation) H332

Category 4

Skin corrosion/irritation H314 Causes severe skin burns and eye damage

Category 1C

Serious eye damage/eye H318

irritation Category 1

Skin sensitization, category H317 May cause an allergic skin reaction

1B Hazardous to the aquatic

environment - Acute Hazard Category 1

H400

Very toxic to aquatic life

Causes serious eye damage

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

### **GHS-US** labeling

Hazard pictograms (GHS-US)









GHS05

GHS07

GHS09

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled H400 - Very toxic to aquatic life

: P260 - Do not breathe dust, vapors Precautionary statements (GHS-US)

P264 - Wash exposed skin thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P273 - Avoid release to the environment

11/01/2017 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves, protective clothing, eye protection, face protection P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a poison center or doctor/physician

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P391 - Collect spillage P405 - Store locked up

P501 - Dispose of contents/container to comply with local, state and federal regulations

If inhaled: Remove person to fresh air and keep comfortable for breathing

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the : None.

classification

2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%	GHS-US classification
lodine (Main constituent)	(CAS-No.) 7553-56-2	100	Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 1, H400

Full text of hazard classes and H-statements : see section 16

### 3.2. Mixtures

Not applicable

## **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a poison center or doctor/physician.

First-aid measures after skin contact : Immediately call a poison center or doctor/physician. Remove/Take off immediately all

contaminated clothing. Wash contaminated clothing before reuse. Rinse skin with

water/shower.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms/effects after ingestion : Gastrointestinal complaints.

Chronic symptoms : Gastrointestinal complaints. Possible inflammation of the respiratory tract.

## 4.3. Immediate medical attention and special treatment, if necessary

Obtain medical assistance.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

11/01/2017 EN (English US) 2/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 5.2. Specific hazards arising from the chemical

Fire hazard : Not flammable. Explosion hazard : Not applicable.

Reactivity : Thermal decomposition generates : Corrosive vapors.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use chemically protective clothing. Ensure adequate air ventilation.

### 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Protective clothing. Gloves.

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away

from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Do not breathe dust, vapors.

Hygiene measures : Wash exposed skin thoroughly after handling. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,

incompatible materials. Keep container closed when not in use.

Incompatible products : Strong bases. Ammonia. Strong oxidizers. Acetaldehyde.

Incompatible materials : Sources of ignition. Direct sunlight.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

lodine (7553-56-2)		
ACGIH	ACGIH TWA (mg/m³)	0.1 mg/m <sup>3</sup> Inhalable fraction
ACGIH	ACGIH TWA (ppm)	0.01 ppm Inhalable fraction
ACGIH	ACGIH STEL (mg/m³)	1 mg/m³
ACGIH	ACGIH STEL (ppm)	0.1 ppm
OSHA	OSHA PEL (Ceiling) (mg/m³)	1 mg/m³
OSHA	OSHA PEL (Ceiling) (ppm)	0.1 ppm
IDLH	US IDLH (ppm)	2 ppm
NIOSH	NIOSH REL (ceiling) (mg/m³)	1 mg/m³
NIOSH	NIOSH REL (ceiling) (ppm)	0.1 ppm

11/01/2017 EN (English US) 3/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Chemical resistant apron. Face shield. Gas mask. Gloves. Protective clothing. Safety glasses.











### Hand protection:

Wear protective gloves

### Eye protection:

Chemical goggles or face shield

#### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

Gas mask

### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Flakes. Needles.
Color : Purple Black

Odor : Pungent characteristic
Odor threshold : No data available
pH : 5.1 saturated solution

Melting point : 113 ℃

Freezing point : No data available

Boiling point : 184 °C

Flash point : Not applicable

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Non flammable.

Vapor pressure : 0.41 hPa 25 °C

Relative vapor density at 20  $^{\circ}$ C : 8.8

Relative density : No data available
Specific gravity / density : 4.93 g/cm³
Molecular mass : 253.81 g/mol

Solubility : Insoluble in water. Soluble in iodide solutions.

Log Pow : 2.49

 Auto-ignition temperature
 : Not applicable

 Decomposition temperature
 : No data available

 Viscosity
 : 2.27 mPa.s 116 ℃

 Viscosity, kinematic
 : Not applicable

 Viscosity, dynamic
 : Not applicable

11/01/2017 EN (English US) 4/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits : No data available
Explosive properties : Not applicable.

Oxidizing properties : None.

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapors.

### 10.2. Chemical stability

May sublimate.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Serious eye damage/irritation

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Ammonia. Strong oxidizers. aluminum. Aldehydes.

### 10.6. Hazardous decomposition products

Thermal decomposition generates: lodine vapor.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact

Acute toxicity : Dermal: Toxic in contact with skin. Inhalation: Harmful if inhaled.

lodine (7553-56-2)	
LD50 oral rat	14000 mg/kg
ATE US (oral)	14000 mg/kg body weight
ATE US (dermal)	220 mg/kg body weight
ATE US (dust, mist)	1.5 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 5.1 saturated solution: Causes serious eye damage.pH: 5.1 saturated solution

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified
Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Toxic in contact with skin.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms/effects after ingestion : Gastrointestinal complaints.

Chronic symptoms : Gastrointestinal complaints. Possible inflammation of the respiratory tract.

11/01/2017 EN (English US) 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life.

lodine (7553-56-2)	
LC50 fish 1	1.7 mg/l
EC50 Daphnia 1	0.2 mg/l

### 12.2. Persistence and degradability

lodine (7553-56-2)	
Persistence and degradability	Not established.

### 12.3. Bioaccumulative potential

lodine (7553-56-2)	
Log Pow	2.49
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local, state and federal regulations.

Ecology - waste materials : Hazardous waste due to toxicity. Avoid release to the environment.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN3495 lodine, 8, III

UN-No.(DOT) : UN3495
Proper Shipping Name (DOT) : lodine

Transport hazard class(es) (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 8 - Corrosive

6.1 - Poison inhalation hazard



Dangerous for the environment : Yes

Marine pollutant : Yes



DOT Packaging Non Bulk (49 CFR 173.xxx) : 213 DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Symbols : + - Fixes (cannot be altered) proper shipping name, hazard class, and packing group

11/01/2017 EN (English US) 6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)

: IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).

IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.

T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Quantity Limitations Passenger aircraft/rail : 25 kg

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 100 kg

CFR 175.75)

**DOT Vessel Stowage Location** 

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters",55 - Stow "separated from" ammonia

Other information : No supplementary information available.

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

lodine (7553-56-2)

ı		
ı	Listed on the United States TSCA (Toxic Substances Control Act)	) inventory

SARA Section 311/312 Hazard Classes Immediate (acute) health hazard Delayed (chronic) health hazard

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

# CANADA

### lodine (7553-56-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### **National regulations**

### lodine (7553-56-2)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

Revision date : 11/01/2017
Other information : None.

11/01/2017 EN (English US) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases: see s	ection 16:
-------------------------------	------------

text of the prinases, see section to.		
H311	Toxic in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H332	Harmful if inhaled	
H400	Very toxic to aquatic life	

NFPA	health	hazaro
------	--------	--------

: 3 - Materials that, under emergency conditions, can cause serious or permanent injury.


NFPA fire hazard

: 0 - Materials that will not burn under typical dire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability

: 0 Minimal Hazard - Materials that will not burn

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

: J

J - Splash goggles, Gloves, Synthetic apron, Dust & vapor respirator

### SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.

11/01/2017 EN (English US) 8/8